Dean&Francis

ISSN 2959-6157

Applications of Nanotechnology in Electric Vehicles

Tongyu Wang[1]

[1]Jinan Foreign Language School International Center, Jinan, China
*Corresponding author: kcaxws@uest.edu.gr

Abstract:

With the continuous development and large-scale application of electric vehicles (EVs), nanotechnology is widely used in this field. Nanotechnology can be used in many aspects of electric vehicles to enhance the performance of EVs, as well as their range. Nanotechnology holds significant value in parts of EVs including energy storage systems for electric vehicles such as batteries and supercapacitors, lightweight materials and energy efficiency. In terms of lithium-ion batteries, the unique properties of nanomaterials can greatly enhance their energy density, and since the lightweight material greatly reduces the mass of the electric vehicle, which allows nanotechnology to be better used in the field of electric vehicles. This article highlights the key findings and applications of nanotechnology today, analyzing its challenges which includes high costs, commercialization, and also security concerns. Subsequently, the article highlights future development through recent industry advancements and case studies, particularly emphasizing the opportunities arising from interaction with other fields such as artificial intelligence and within the environmental protection sector.

Keywords: Electric vehicle; nanotechnology; energy storage; lightweight material

1. Introduction

The development of electric power technology, more environmental hazard, and increase in dependency of fossil fuel, contributing to a worldwide rise in the use of EVs as public transport. Electrical carriages were invented in 1830s, then in 1884, Thomas Parker running a lead acid battery company created the first practical electrical car [1], a few years later in 1980s, EVs were commercially available. The annual combined sales of all-electric cars and vans reach more than 10 million by the end of 2020, while as the end of 2024, the figure for that experienced a dramatic increase to approximately 18 million annually.

Given the growing consumer demand for EVs, enhancing battery durability and energy density has emerged as a critical challenge to extend the driving range of EVs [2]. Nanotechnology offers a potential approach to enhance the properties of lithium-ion batteries in terms of their lifespan and capacity, it also offers a novel approach: combining supercapacitors with batteries in order to get a superior energy

storage system.[3]. Moreover, minimizing the weight of EVs wherever possible is also key to enhancing its performance, which is where nanostucture lightweight material come into play. These lightweight materials, predominantly composed of carbonnanotubes (CNTs) and graphene-based nanomaterial and carbon fibre nanocomposites, are a crucial component in enhancing the range of electric vehicles. In the field of electronics and power engineering, nanotechnology has also played a significant role, particularly in semiconductors which is due to the controllability of nanoparticles and their large specific surface area. What's more, to enhance energy efficiency, an effective thermal management system is essential, utilising the superior thermal conductivity properties of nanotechnology.
The article is about studies of applications of nanotechnologies in EVs, giving a comprehensive summary of the current status of nanotechnology research, discusses the main challenges and potential future research directions in this field. Those following parts in electric vehicles will be discussed in this paper: the application of nanotechnology in the field of energy storage system, nanocomposites including CNTs and graphene-based materials and nanocoatings with various usage, also nanotechnologies in powering electronics and thermal management. Although the field of nanotechnology has broad prospects, it still faces multiple challenges. At present, based on current market trends and advancements in nanotechnology, the challenge now mainly liesin reducing high costs, commercialization and ensuring environmental safeguards[4]. Additionally, these explorations at the technical level are also constrained by quality control deficiencies and high research and development costs.

2. Nanotechnology in Energy Storage System

Energy storage system is the system in electric vehiecles designed to store electrical energy for use, typically employing technologies like batteries, supercapacitors, or hybrid configurations to EVs. These technique includes the battery energy storage system (BESS) which based on lithium-ion battery packs, also has cells, modules, and management systems (BMS) as other components, and other complementary technologies such as supercapacitors and flywheel. This system has shortcoming in terms of weight, cost, and cycle life of batteries which contribute to the constraint of improvement of EV performance. To address these problem, new technologies like Hydrogen Fuel Cell and Solid State Battery are also currently under investigation.

2.1 Lithium-ion Batteries

Through the innovation of nanotechnology in the field of energy storage system of electric vehicles, lithium-ion batteries (LIBs) becomes the most widely used new high-energy batteries in EVs [5]. This is mostly because of their relatively higher energy density ,reliability and longer lifespan, so it can be considered that LIB will continue to be fiercely discussed in the coming years and will have a broader market. Even though, they still have some serious problem urgently need to be addressed such as lithium dendrite and low capacity, giving a lot of room for overall development [6].
Nanotechnology can be applied to multiple components of batteries, particularly as emerging cathode and anode materials. Due to their high surface area and electrical conductivity, nanometer sized materials such as graphene-based materials and CNTs enable improvement in fast charge batteries and higher actual capacity of LIBs. Moreover, metal oxides outperform other cathode materials when used in EVs due to their superior capacity, enhanced cycling stability, and nanoscale structure that minimizes energy loss during charge transfer [7].
The nanocomposite electrolytes which combined nanometer sized particles with polymer matrix feature great ionic conductivity and electrochemical stability, especially performing well in the solid-state batteries [8]. This technology, which is seen as the future of high-performance batteries, is used for preventing dendrite growth-a serious problem caused by lithium ions that fall off from the cathode too quick to be equally embedded in the anode-thus becomes a breakthrough for safer, longer-lasting lithium metal batteries.

2.2 Supercapacitors

Researchers have been worked for years to develop a much lighter energy storage devices that combine with batteries to form a hybrid power system, dramatically reducing the weight while providing same energy density and additional power as conventional batteries, which leads to bigger range of EVs [9]. Supercapacitor is an ideal energy storage device resulting from its high power and great conductivity. They can achieve fast charging and discharging of high currents, with charging and discharging times as fast as seconds. In addition, their large capacity and a particularly long cycle life, making supercapacitors a viable alternative to traditional batteries in electric vehicles [9].
Benefit from the rapid development and commercialization of nanomaterials such as graphene and CNTs, supercapacitors have been rapidly explored for their high power density and fast charging capability. However, a great limitation is that its energy density is very low comparing with the other traditional batteries. In this case, when it is used in energy storage system, the mass of EVs will be about 10 times higher than now.

ISSN 2959-6157

2.3 Nanomaterials Used in Other Battery Technologies

Although the lithium-ion battery has emerged as a dominant solution for improving energy storage system (ESS) EVs, other energy storage technologies appears as there are still some aspects of batteries that need to be optimized to meet the raising demand [3]. Solid-state batteries have big differences comparing to other conventional batteries, it has solid electrolyte such as some polymer materials ,glass and also ceramics. Such special electrolyte boosts energy density to more than 500 Wh/kg and mitigates the threat from dendrite risks, reducing the danger of short circus [6]. One significant advantage is that solid-state batteries is capable to use the lithium metal anodes, leading to a much high theoretical capacity than conventional graphite anode [8]. The abundance of sodium resources has positioned sodium-ion batteries (SIBs) as a economically viable alternative to lithium-ion batteries used in EVs, driving substantial research interest in recent years [10]. On the other hand, although sodium-ion batteries have lower theoretical capacity than LIBs, they can be emerged as a potential cost-effective alternative of LIBs, particular in applications where capacity is not the determining factor, like used for energy storage equipment in colder regions or region that has high requirement in terms of thermal stability.

3. Nanotechnology in Lightweight Material

The research on the application of nanotechnology in utra lightweight materials for EVs has been ongoing for many years due to the the urgent need to reduce the weight of electric vehicles [11]. This is mainly because that the power system of electric vehicles is about 40% heavier than traditional internal combustion engine vehicle, which directly leads to a sharp increase in energy consumption. Scientific research has shown that for about every 10% reduction in weight of the whole vehicle, the range of it can be increased by 5-8%. So in order to optimize energy efficiency, the electric vehicle manufacturing company is striving to reduce weight while maintaining performance as much as possible [12]. Lightweight material has become the most direct and commercially valuable solution on account for the current limitation of battery technology in improving battery energy density.

Additionally, integrating lightweight nanocomposites, such as carbon fiber-reinforced polymers (CFRP)-into EV structural components enables synergistic benefits which is mass reduction, enhanced torsional rigidity, and improved crash energy absorption, thereby elevating both performance and safety metrics [10].

3.1 Nanocomposites

Nanocomposites, including CNTs and graphene, represent a breakthrough in lightweight material used in electric vehicle construction. They Due to their high tensile strength, stiffness, great impact resistance, and low density which is only one sixth of that of steel, these composites become the new high-performance reinforcement for electric vehicles [10]. The exceptional tensile strength and stiffness of graphene-based composites enable their application in fabricating ultra-lightweight body panels and high-durability structural components.

In this case, CNTs and graphene-based nanomaterial can also significantly reduce the mass of body of electric vehicles, enhancing the components strength. The excellent conductivity of this composite material also provides electromagnetic shielding and self-sensing functions for intelligent structures in the new generation of vehicles, greatly reducing equipment interference and improving sensitivity [13].

Nanocomposite materials applied to electric vehicles are widely recognized in recent years many leading industries are also applying this technology on a large scale of EVs. Among them, the BMW i3, as the first carbon fiber reinforced plastic (CFRP) main frame electric vehicle to achieve mass production, has a milestone in structural innovation. By employing carbon fiber nanocomposites for its construction, this vehicle achieves an outstanding curb weight of 1195 kg. The lightweight design significantly reduces energy consumption during operation, thereby effectively enhancing the driving range per charge.

Carbon fibre composites are offering light weight, good strength, stiffness, high impact resistance, and high corrosion resistance [14]. The application of carbon fiber composites to vehicle bodies enables a minimum fifty percent mass reduction relative to conventional steel structures, comparing to engineering composite plastic which can only reduce the mass up to twenty-five percent [11]. However, some insurmountable problems are also reflected in procession and utility. One is high costs of it, roughly five times more than steel, and another is that the carbon fibre is difficult to be repaired when a collision happens, in comparison of conventional materials. Consequently, carbon fiber materials remain uncommon in conventional passenger vehicles. Despite of it, with further cost reductions, carbon fiber nanocomposites could significantly mitigate the mass of electric vehicles (EVs), thereby improving both driving safety and dynamic performance [14].

3.2 Nanocoating

Nanocoating, as an advanced surface treatment technology used in the field of electric vehicles, endows substrates with various functional enhancements through the unique

properties of nanoscale materials. Its core functions can be summarized as follows: anti-corrosion properties, significant scratch resistance and wear resistance, as well as good self-cleaning and anti fouling functions [10]. Therefor, such great functions promises its excellent performance in some special events, allowing them to prolong the lifetime of the parts.

Wear-resistance nanocoating as one of the most advanced technology in nanocoatings, can be widely utilized in various parts of EVs resulting from its unique physical properties. Because of its high surface area and quantity effect, the wear-resistance nanocoating with high density and super strong adhesion towards components of electric vehicles can fill the surface micropores of the substrate and form a physical barrier. For instance, diamond-like carbon which has high hardness, great wear resistance and suitable friction coefficient can be used to reduce the wear and tear of components during movement , extending their service life [10]. In this case, wear-resistance nanocoatings can be used in suspension system, bearings , brakes and so on.

Nano particle self-lubricating nano coatings protect bearings, gears, and more internal components of electric vehicles by reducing wear and improving energy efficiency. The low friction layer of solid lubricants containing nanoparticles such as molybdenum disulfide (MoS_2) and tungsten disulfide (WS_2) improves the efficiency of transmission systems. Many solid lubricants have also been promoted for use, such as polymer based composites, transition metal dichalcogenides (TMDs), and MXene nanosheets.

Another common form of nanotechnology found on the market is the anti-corrosion nanocaoting. It has the similar principle that they act as a barrier for oxygen and moisture, it prevents surface rust and corrosion, protects metal components such as chassis, bearings, gears and so on [14]. Since the porosity of aluminium oxide (Al_2O_3) nanocoating is less than 1%, it can effectively block the penetration of moisture and corrosive media and also make components protected active even in high temperature.

4. Nanotechnology in Power Electronics and Energy Efficiency

4.1 Nanotechnology in Semiconductor

Nanoelectronics, as a cutting-edge direction based on nanotechnology, has played a huge role in various fields, especially in semiconductor innovation. In the field of nanoscale semiconductors, nanoscale silicon carbide (SiC) and gallium nitride (GaN) are the most commonly used materials, mainly due to their high specific surface area and thermal stability [9].Due to the development of this technology, the performance of power electronics, such as high speed and efficiency, can be well controlled by precise manipulation of materials at the nanoscale. Therefore, semiconductors made from them have high electron mobility, greatly enhancing their performance as semiconductors. In recent years, the increasing demand for high-performance electronics has prompted significant investment in the field of nanoelectronics, such as semiconductor manufacturing.

4.2 Thermal Management

Effective thermal management and heat dissipation are crucial to ensure optimal performance and durability of electric vehicle components. The existing coolant contains nanoparticles such as graphene and carbon nanotubes which have excellent thermal conductivity, can help effectively dissipate heat from internal components of automobiles, ensuring their service life.

5. Summary of Key Findings and Future Directions

Nanotechnology has a potential to offer significant benefits in various aspects of the EVs industrious use the way of promoting the efficiency of energy storage system, batteries performance, lightweigh nanomaterials, semiconductors and so on. Despite of some innovation has already been taken, nanotechnology has still facing challenges that have to be urgently overcome.

This article is engaged in some cutting-edge nanotechnologies which can be applied into different parts of EVs , including mechanical components, batteries, coatings and so on. All these key finding mentioned in this article can be summarized into three directions. First is nanotechnology in energy storage system, including lithium batteries, supercapacitors, and numerous emerging battery technologies. Simultaneously, nanotechnology has achieved a series of breakthroughs in reducing the weight of electric vehicles, encompassing nanocomposites for EV components and nanocoatings. Additionally, nanotechnology enables energy-efficient utilization and heat dissipation technologies.

Although most of innovative ideas has been taken into commercial use, there are still some that were not realized due to various shortcomings and challenges. One is the high costs of raw materials and processions as well, as the process of manufacture is certainly complicated. In addition, although most products work well in lab, they will still be difficult to commercialize caused by financial problems and security concerns.

Nanotechnology is evolving at an unprecedented rate, presenting promising avenues for innovation in electric vehicle components, particularly in battery efficiency and

ISSN 2959-6157

lightweight materials. Considering the environmental protection and the intersection of somecutting-edge fields, future directions such as artificial intelligence,which can help derive the most viable material composite combinations. In addition, recyclable battery materials can be developed in order to reduce energy consumption and economic burdens while effectively protecting the environment.

6. Conclusion

Nanotechnology has revolutionized the EVs industrious, especially in the fields of energy storage, lightweight materials, power electronics and also energy efficiency. This article focuses on researching the energy storage system within electric vehicles, it is designed to reserve electrical power for later utilization. It comprises primary lithium batteries, supercapacitors, and numerous emerging battery technologies such as sodium-ion batteries and solid-state batteries. By reveals the importance of weight, this article discusses new composites and nanocoatings including wear-resistance and anti-corrosion utilization. Their unique performance allows them to be used in daily lives, as well as in some extreme environments. Nanotechnology also has extensive applications in the electronics power industries, especially in the semiconductor sector.

While nanotechnology is accelerating progress, it also faces many challenges, including concerns about cost, commercialization, and safety attribute to recent market conditions and heightened environmental and security awareness. At the same time, enormous opportunities are gradually emerging along with challenges. With the continuous innovation and more applications of nanotechnology in the field of electric vehicles, new technologies will completely change this field, such as the interaction with the artificial intelligence, which can summarize the most viable new nanocomposite solution. These areas of development hold considerable potential and can make nanotechnologies more efficient, sustainable, and safe for the environment and consumers.

References

[1] Sun Xiaoli, Li Zhengguo, Wang Xiaolin, Li Chengjiang. Technology Development of Electric Vehicles: A Review. Energies 2020, 13, 90.

[2] Khan Md Yakub Ali, Elme Nafisa Sultana, Tahrim H M, Raza Kala. (2024). A Review on Nanotechnology and Its Impact with Challenges on Electrical Engineering. Control Systems and Optimization Letters, 2(1), 82-89.

[3] Madrid Jerry A., Electric and Hybrid Vehicle Battery Technologies: Advancements and Challenges, *Int. J. Adv. Res. Sci. Commun. Technol*., 3(1), 803– 807(2023).

[4] S.B. Wali, M.A.Hannan, Pin Jern Ker, S.A. Rahman a, Khoa N.Le, R.A.Begum, S.K. Tiong, T.M. Indra Mahlia. Grid-connected lithium-ion battery energy storage system towards sustainable energy: a patent landscape analysis and technology updates. *J Energy Storage* 2024;77:109986.

[5] Ralls Alessandro M., Leong Kaitlin, Clayton Jennifer, Fuelling Phillip, Mercer Cody, Navarro Vincent, Menezes Pradeep L.. (2023). The Role of Lithium-Ion Batteries in the Growing Trend of Electric Vehicles. Materials, 16(17), 6063.

[6] Xiao Jie.How lithium dendrites form in liquid batteries. Science366,426-427(2019).

[7] Kumar Pulkit, Channi Harpreet Kaur, Babbar Atul, Kumar Raman, Bhutto Javed Khan, Khan T M Yunus, Bhowmik Abhijit, Razak Abdul, Wodajo Anteneh Wogasso, A systematic review of nanotechnology for electric vehicles battery, International Journal of Low-Carbon Technologies, Volume 19, 2024, Pages 747–765.

[8] Dr. Ali Syed Ibad, Ravuri Hema Krishna, Ramya V.T. Lakshmi, Akella, Lavanya Karri, Dr. Bahade Sachin (2024). The Role Of Nanomaterials In The Development Of High-Performance Batteries. *Nanotechnology Perceptions*, *20*.

[9] Zhang Lei, Hu Xiaosong, Wang Zhenpo, Sun Fengchun, David G. Dorrell(2018). A review of supercapacitor modeling, estimation, and applications: A control/management perspective. Renewable and Sustainable Energy Reviews, 81, 1868-1878.

[10] Esanakula Jayakiran Reddy, Rathod Chandar, Babu N. Bhanodaya Kiran, D. V. Srikanth, S. Bhaskar. (2025). Applications of Nanotechnology in Electric Vehicles: Enhancing Energy Efficiency and Reducing Environmental Impact. *J. Environ. Nanotechnol*, *14*(2), 29-41.

[11] Sun Longhao, Nanotechnology in the Field of Electric Vehicles. Highlights Sci. Eng. Technol., 43, 327–332 (2023).

[12] Y Lu, Srikanth Pilla. (2017). The Use of Nano Composites in Automotive Applications

[13] Rimamnyal Nyatse Daniel, Samson AkanbiOpeyemi, Bunmi DaramolaCharles, Abass GbemiFaith, Olaniyan AjaoJoshua, Samson IgeAkinsanmi, Moyofoluwa OgunsakinOluwakunle, Kolawole Bello Tajudeen, Evolution of Carbon Nanotubes, Their Methods, and Application as Reinforcements in Polymer Nanocomposites: A Review, *J. of Adv. Mech. Eng. Appl*., 4(1), 49–63 (2023).

[14] Jeyaguru Sangilimuthukumar, Thiagamani Senthil Muthu Kumar, Rangappa Sanjay Mavinkere, Siengchin Suchart, Krishnasamy Senthilkumar, Muthukumar Chandrasekar(2023). Lightweight and sustainable materials for automotive applications. In Lightweight and Sustainable Composite Materials (pp. 143-156). Woodhead Publishing.

[15] Singh Nitesh, Sharma Avaneesh Kumar, Kumar Ashish. Integration of Nanotechnology in Electric Vehicle Technology: A Comprehensive Review. Nano Trends: A Journal of Nanotechnology and Its Applications. 2024; 26(1): 29–34p.